



Redefining the User Experience

UX Pro from Clevertouch

clevertouch.com/UXPro

Security Matters

Wireless or hardwired connections so that team members and visitors can connect safely using separate networks.

True 4K high Precision Technology

Our patented technology offers the most fluid, lag free writing experience on a touchscreen.

Comprehensive Warranty

Our support team off industry leading warranty tailored to your needs — when you need it most

Cloud Accounts

Sync with Google Drive, OneDrive and Dropbox so that you can work anywhere at any time.

Launcher

Evolve your meetings with Launcher from DisplayNote.



Flexible IT computing solutions

Upgrade to a Windows 10 Pro state-of-the-art latest Intel® OPS module.



Dual recognition comfort stylus



NFC Account Profiles

With an NFC sensor built into the bezel, just tap your NFC card on the bottom of the screen to instantly log in to your profile.



Room filling sound

45W Max Power for room-filling sound.

Add any USB Camera

For a full unified comms solution.

Microphone

Built-in line array microphone.

No ongoing subscription charges.

Connectivity

Huge connectivity. Includes 2x USB-C ports.

Instant Over-the-Air Updates (OTA)

New features, bug fixes, software and hardware updates can be seamlessly delivered to your Clevertouch display

Seamless integration with room booking system

Sync with your MS Exchange™ and Outlook 365 Calenders

Environmentally Friendly Motion Detection

Equipped with Proximity Sensors your Clevertouch will power off when no one is detected in the room.

Display

Diagonal Size	55" 4K, 65" 4K, 75" 4K, 86" 4K
Screen Type	TFT LCD - Direct LED Backlight
Aspect Ratio	16:9
Display Colours	1.07 Billion (10 bit)
Resolution	4K UHD (3840x2160 @60Hz)
Response Time	5ms
Refresh Rate	60Hz
LCD Viewing Angle	178°
Brightness	420 cd/m²
Contrast Ratio	55" 4000:1
	65" 4000:1
	75" 4000:1
	86" 4000:1
Dynamic Contrast Ratio	55" 5000:1
	65" 5000:1
	75" 5000:1
	86" 5000:1
Glass Hardness	Tempered Glass - Mohs Level 7
Glass Type	Heat tempered - Anti Glare - Super Glide Surface

Interactivity

Writing Technology	High Precision Technology
Continuous Touch Points	20
Touch Resolution	32768x32768px
Response Time	5ms
Touch Accuracy	1.5mm
Minimum Object Size	3mm
Touch Tool	Finger, Gesture & Pen
Simultaneous Writing	Yes
Pens Included	2 with different colour assignment to each end
Ink In Tools	Yes – LYNX
Pen Type	Dual Recognition Stylus
Pen Holder	Integrated Full-length Pen Tray
Pen Tip Diameter	3mm/7mm
Pen & Touch Differentiation	Yes
Pen Identities	2
Annotation Over Any Source	Yes
Compatibility	Windows 10, Linux, Mac, Android, Chrome
Tracking Rate	6m/s
Scan Rate	200Hz
Gestures & Edge Swipes	Windows Supported, OSX With additional Driver

Connectivity

OPS Slot	1 - Intel® spec
HDMI In	3
HDMI Out	1
USB-A 2.0	3 (1 for system upgrade)
USB Touch (type B)	2
USB A 3.0 (faster data transfer)	3
USB C	2 (One supports 45W charging any device)
LAN In (RJ45)	1 GB
RS-232	Yes
Wake-on-Lan	Yes
Wireless Adapter 2.0 + WAP	Yes
Bluetooth	Yes - 4.0
Displayport In	1
VGA In	1
VGA Audio In	1 (3.5mm)
Optical Out	1 (Coax)
Headphone	1 (3.5mm)
Touch Out	3
NFC Reader / Writer	Yes
Camera	Optional extra
Proximity Sensor	Yes
WIFI	IEEE 802.11a/b/g/n/ac with 2 × 2 MIMO (hotspot only) (both 2.4 and 5 GHz bands). Capable of speeds up to 433Mbps

Computing

Operating System	Android Oreo 8
System Version	LUX 8
RAM	4GB
Internal Storage	32GB
CPU	Dual Core A73+Dual Core A53
GPU	Quad Core Mali G51
Android Resolution	4K
Android Module Slot	Yes
Integrated LUX UI	Yes

Audio

Dual Front Facing, Bass Enhanced Speakers	2 x 15 Watt Speakers + 15 Watt Subwoofer
Audio Out	Yes
SPDIF / Fibre	Yes
Sound Channel	2.1
Line Array Microphone	Omni-directional up to 8 meters
Super Wide Sound	Yes

UX Pro | Specifications

Power

Power Requirements	100 – 240V ~ 50/60Hz
Power Consumption (Normal)	55" 87W
	65" 118W
	75" 124W
	86" 172W
Power Consumption (Standby)	< 0.5 Watts
Ultra Quiet Fanless Design	Yes

Operating & Storage Environment

Operating Temperature	0° to 40°
Storage Temperature	-20° to 60°
Operating Humidity	10% to 90% RH
Storage Humidity	10% to 90% RH
Altitude	Below 5000 metres

Physical Specifications

Panel Dimensions	55" 1268x792x90mm
	65" 1489x919x91mm
	75" 1709.7x1042.4x94.8mm
	86" 1957.2x1181.9x94.8mm
Packed Dimensions	55" 1428x878x220mm
	65" 1697x1038x220mm
	75" 1875x1208x280mm
	86" 2146x1326x280mm
Net Weight	55" 31.25Kg
	65" 43.95Kg
	75" 56.73Kg
	86" 73.45Kg
Packed Weight	55" 38.55Kg
	65" 53.95Kg
	75" 75.75Kg
	86" 95.30Kg
VESA Mount Point	55" 400x200mm
	65" 600x400mm
	75" 800x400mm
	86" 800x600mm

Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit www.clevertouch.com/about/warranty

Compliance & Certification

Regulatory Certification	CE, FCC, UL, Energy Star & EEC
--------------------------	--------------------------------



UX Pro Built-in Features

NUITEQ™ Stage	Yes
Embedded Digital Signage	Yes
Clevershare™ Mirroring Any Device To The Board	Free for the life of the screen (touch back)
Integrated Personalised Accounts Profiles	Yes
Cloud Account Access	OneDrive Google Drive
Embedded Room Booking	Yes
Whiteboard Annotation	Yes
Email Out Direct From Touchscreen	Yes
Scan QR Code For Saving Work	Yes
CleverMessage™ - Instant Alert Messaging	Yes
Over-the-Air Updates	Yes
Remote Management Of Touchscreens (MDM)	Yes - Five year licence

Inside your Clevertouch Box

What's In The Box	(1) Clevertouch UX Pro (1) 1.5M Length HDMI Cable (1) 3M Length USB cable (A-B) (2) 1.5M USBC Cable (1) 3M Regional Power Cable (1) 5M 3.5mm Audio Cable (1) Remote Control (2) Batteries for Remote Control (2) Dual Recognition Stylus (1) User Guide (1) Quick Install Guide (1) Wireless Adapter 2.0 + WAP (5) NFC Cards
-------------------	--

Installation

The installation of this product should be completed by a qualified installer. Use of components not supplied by Clevertouch or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit clevertouch.com

Support

For all Clevertouch products, visit: support.clevertouch.com

Upgrade Options

Three upgrade options available - 1. Zoom Rooms + Jabra + Intel, 2. Microsoft Teams + Jabra + Intel, 3. Launcher + Jabra + Intel



UX Pro from Clevertouch

New UX Pro for Enterprise is here. A simple to use touchscreen solution that comes with superior connectivity and advanced collaborative technology as standard. UX Pro is the touchscreen solution designed for all meeting spaces.

Exclusive to UX Pro

Meet with no interruptions

With STAGE invite colleagues to join remotely. No delays and no restrictions. It's browser-based so anyone can join without needing to download software.

Remote management

Control multiple Clevertouch devices, wherever they are. The IT department can remotely take control of your company's fleet of Clevertouch displays.

Use for signage

Transform your screen into a digital signage display. With CleverMessage you can broadcast messages, alerts and important information.


Screen mirroring with touch-back

Clevershare allows you to mirror any device, on any platform. With touch-back it's a two-way touch sharing application.

Multi-award-winning business solutions



**AVTechnology Europe
Best of Show**
Best of Show at ISE
2020 – Winner



**Installation
Best of Show**
Best of Show at ISE
2020 – Winner



**Collaboration
Innovation of the Year**
AV News Awards
2020 – Winner



**Interactive Display
Technology of the Year**
AV Awards
2019 – Winner



**Collaboration Product
of the Year**
AV News Awards
2019 – Winner